EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	610	@ad<"20031029" and (generat$3 or creat$3 or select$3 or obtain$3 or provid$3) with (pseudonym or alias or ID or identity or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (location or presence or status or preference) near3 (user or client) same application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:42
L2	39	@ad<"20031029" and (select$3 or obtain$3 or match$3) with (pseudonym or alias or ID or identity or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (location or presence or status or preference) near3 (user or client) same (corresponding or associated or request$3) near3 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:50
L3	10	@ad<"20031029" and (select$3 or obtain$3 or match$3) with (user or client) near3 (pseudonym or alias or ID or identity or ((email or network) adj address) or email or e-mail or username or (user adj name)) with (location or presence or status or preference) near3 (user or client) same (corresponding or associated or request$3) near3 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:51
L4	242	@ad<"20031029" and (select$3 or obtain$3 or match$3) with (user or client) near3 (pseudonym or alias or ID or identity or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (according or associated or based) with (location or presence or status or preference) near3 (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:53

L5	79	@ad<"20031029" and (select$3 or obtain$3 or match$3) near3 (user or client) near3 (pseudonym or alias or ID or identity or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (according or associated or based) with (location or presence or status or preference) near3 (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:54
L6	62	@ad<"20031029" and (select$3 or obtain$3) near3 (user or client) near3 (pseudonym or alias or ID or identity or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (according or associated or based) with (location or presence or status or preference) near3 (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:57
L7	8	@ad<"20031029" and (select$3 or obtain$3) near3 (user or client) adj (pseudonym or alias or ID or identity or ((email or network) adj address) or email or e-mail or username or (user adj name)) same (according or associated or based) with (location or presence or status or preference) near3 (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:57
S1	6	(auto near3 registration) same portal same subscriber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 18:37
S2	4	@ad<"20031029" and (user adj naming adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 18:39
S3	11	@ad<"20031029" and (naming adj system) and request$3 with ((identify or ID) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 18:42
S4	12	@ad<"20031029" and (naming adj system) and (request$3 or manag$3) with ((identity or ID) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 18:46

EAST Search History

S5	86	@ad<"20031029" and network near3 (application or entity or device or apparatus) with (request$3 or manag$3) with ((identity or ID) near3 user) and (select$3 or manag$3 or obtain$3) with ((identity or ID) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 18:47
S6	0	@ad<"20031029" and network near3 (application or entity or device or apparatus) with (request$3 or manag$3) with ((identity or ID) near3 user) and (select$3 or manag$3 or obtain$3) with predefined with ((identity or ID) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 18:48
S7·	29	@ad<"20031029" and network near3 (application or entity or device or apparatus) with (request$3 or manag$3) with ((identity or ID) near3 user) and (select$3 or manag$3 or obtain$3) with (predefined or stored or prefer$4) with ((identity or ID) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 16:56
S18	28	@ad<"20031029" and (single or sign-on) near3 (password or log$4) and (application or entity or device or apparatus or web or site) with (request$3 or manag$3) with ((identity or ID) near3 user) and (select$3 or manag$3 or obtain$3) with (predefined or stored or prefer$4) with ((identity or ID) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 19:26
S19	218	@ad<"20031029" and (select$3 or manag$3 or obtain$3 or generat$3 or creat$3) with (predefined or stored or prefer$4) with ((identity or ID) near3 (subscriber or user)) same ((status or location or time) near3 (user or client or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 19:29
S20	20	@ad<"20031029" and (select$3 or manag$3 or obtain$3 or generat$3 or creat$3) with (predefined or stored or prefer$4) with ((identity or ID) near3 (subscriber or user)) same (based or correspond$3 or associat$3) near3 ((status or location or time) near3 (user or client or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 19:32

S21	76	@ad<"20031029" and (select$3 or obtain$3 or choos$3 or provid$3) with (predefined or stored or prefer$4) with (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) same (based or correspond$3 or associat$3) near3 ((status or location or time or prefer$5) near3 (user or client or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 19:37
S22	4	@ad<"20031029" and (select$3 or obtain$3 or choos$3 or provid$3) near3 (predefined or stored or prefer$4) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) same (based or correspond$3 or associat$3) near3 ((status or location or time or prefer$5 or profile) near3 (user or client or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 19:42
S23	43	@ad<"20031029" and (select$3 or obtain$3 or choos$3 or provid$3) with (predefined or stored or prefer$4) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) same (based or correspond$3 or associat$3) near3 ((status or location or time or prefer$5 or profile) near3 (user or client or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 20:01
S27	291	@ad<"20031029" and (select$3 or obtain$3 or choos$3 or provid$3) with (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) with (based or correspond$3 or associat$3) near3 ((status or location or time or prefer$5 or profile) near3 (user or client or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 20:01
S28	90	@ad<"20031029" and (select$3 or obtain$3 or choos$3 or provid$3) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) with (based or correspond$3 or associat$3) near3 ((status or location or time or prefer$5 or profile) near3 (user or client or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 20:22

S32	9	@ad<"20031029" and (select$3 or obtain$3 or choos$3 or provid$3) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) with (based or correspond$3 or associat$3) near3 ((status or location or time or prefer$5 or profile) near3 (user or client or subscriber)) same application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 20:33
S33	79	@ad<"20031029" and (select$3 or obtain$3 or choos$3 or provid$3) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) with ((status or location or time or prefer$5 or profile) near3 (user or client or subscriber)) same application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/16 19:43
S34	39	@ad<"20031029" and (select$3 or obtain$3 or choos$3 or provid$3) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) with ((status or location or time or prefer$5 or profile) near3 (user or client or subscriber)) same application and request$3 same (ID or identity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 20:34
S35	15	@ad<"20031029" and (provid$3) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) with application same ((status or location or time or prefer$5 or profile) near3 (user or client or subscriber)) and application same request$3 same (ID or identity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 20:35
S36	2	@ad<"20031029" and (generat$3 or creat$3 or select$3 or obtain$3) with (pseudonym or alias) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) with (requesting near3 (site or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/16 19:46

S37	2	@ad<"20031029" and (generat$3 or creat$3 or select$3 or obtain$3 or provid$3) with (pseudonym or alias) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) same (requesting near3 (site or application or web))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/16 19:46
S38	2	@ad<"20031029" and (generat$3 or creat$3 or select$3 or obtain$3 or provid$3) with (pseudonym or alias) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) same ((requesting or business or non-trusted) near3 (site or application or web))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/16 19:47
S39	2	@ad<"20031029" and (generat$3 or creat$3 or select$3 or obtain$3 or provid$3) with (pseudonym or alias) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) same ((requesting or business or non-trusted) near3 (site or application or web or vendor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/16 19:47
S40	3	@ad<"20031029" and (generat$3 or creat$3 or select$3 or obtain$3 or provid$3) with (pseudonym or alias) near3 (identity or ID or email or e-mail or username or (user adj name) or (email adj address)) same ((requesting or business or non-trusted or vendor) near3 (site or application or web))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:40